


claims

CM

What is claimed is:

- Sub
1. A stabilized gonadotropin containing lyophilisate comprising:
a dicarboxylic acid salt stabilizer in admixture with a gonadotropin capable of stabilization by the amount of stabilizer present in the lyophilisate.
 2. The stabilized gonadotropin containing lyophilisate of claim 1 further comprising a non-reducing sugar, wherein the non-reducing sugar is present in an amount three to fifty times that by weight of the dicarboxylic acid salt stabilizer.
 3. The stabilized gonadotropin containing lyophilisate of claim 1 further comprising a non-ionic surfactant.
 4. The stable lyophilisate of claim 3 wherein said gonadotropin is selected from the group consisting of luteinizing hormone, human chorionic gonadotropin, follicle stimulating hormone, or mixtures thereof.
 5. The stable gonadotropin containing lyophilisate of claim 4 wherein said dicarboxylic acid salt stabilizer is a salt of citric, tartaric, or aspartic acid.

Sect. 82
16. The stabilized gonadotropin containing lyophilisate of claim 6 wherein the non-reducing sugar is present in an amount three times that by weight of the dicarboxylic acid salt stabilizer.

(17) The stable gonadotropin containing lyophilisate of claim 7 further comprising a second gonadotropin capable of stabilization by said dicarboxylic acid salt stabilizer.

Sub S
P/B3
Freeze Cont

9. A stabilized gonadotropin containing lyophilisate comprising:
one part by weight of a gonadotropin; and
200 to 10,000 parts by weight of a dicarboxylic acid salt stabilizer associated with said gonadotropin.

Sub S
P/B3
A2
Freeze Cont
Sub S
P/B3

10. A method of making a stabilized gonadotropin lyophilisate comprising:
admixing, in an aqueous solution, at least one gonadotropin with an amount of dicarboxylic acid salt to adjust the ionic strength of said solution to between 0.050 and 0.350,
dissolving a non-reducing sugar in said admixture in an amount of about three to fifty times the amount, by weight, of the dicarboxylic acid salt, and
freeze-drying said admixture at a temperature greater than -35° centigrade to form said stabilized gonadotropin lyophilisate.

Add A3 Add B5